

Hephzibah exclusion procedure for illness/communicable diseases reviewed to include COVID19 on: 1st June, 2020.

A person affected by COVID19	Depending on doctor's recommendation exclusion period could be 7/14 Days
Staffs/parent who return to the UK from abroad with or without a child need to self quarantine	14 days because of COVID19

Exclusion Procedure for Illness/Communicable Disease

The context in which this sample is to be used is described on pages 26 and 90.

MINIMUM PERIODS OF EXCLUSION FROM NURSERY

<i>Disease/illness</i>	<i>Minimal Exclusion Period</i>
Antibiotics prescribed	First 2 days at home
Temperature	If sent home ill, child must be off for 24 hours
Vomiting	If sent home ill, child must be off for 24 hours
Conjunctivitis	Kept at home for 2 days; thereafter until eyes are no longer weeping
Diarrhoea	24 hours
Chickenpox	7 days from appearance of the rash
Gastroenteritis, food poisoning, salmonellosis and dysentery	Until authorised by District Community Physician
Infective hepatitis	7 days from onset of jaundice
Measles	7 days from appearance of the rash
Meningococcal infection	Until recovered from the illness
Mumps	Until the swelling has subsided and in no case less than 7 days from onset of illness
Pertussis (whooping cough)	21 days from the onset of paroxysmal cough
Poliomyelitis	Until declared free from infection by District Community Physician
Rubella (German measles)	4 days from appearance of the rash
Scarlet fever and streptococcal infection of the throat	Until appropriate medical treatment has been given and in no case for less than 3 days from the start of treatment
Tuberculosis	Until declared free from infection by the District Community Physician
Typhoid fever	Until declared free from infection by the District Community Physician
Impetigo	Until the skin is healed
Pediculosis (lice)	Until appropriate treatment has been given
Planter warts	No exclusion. Should be treated and covered
Ringworm of scalp	Until cured
Ringworm of body	Seldom necessary to exclude provided treatment is being given
Scabies	Need not be excluded once appropriate treatment has been given